

# Upgrade Guide

## Apparo Fast Edit

Upgrade from version 2  
to version 3.0.6/3.0.7

Upgrade from version 3.0.6  
to version 3.0.7

Upgrade from version 2.0 or 3.0  
to version 3.1

Upgrade from version 3.0.7.1  
to version 3.1



<b>1</b>	<b>Download of version 3.....</b>	<b>3</b>
<b>2</b>	<b>Backup of the old Apparo database repository .....</b>	<b>3</b>
<b>3</b>	<b>Upgrade from version 2 to version 3.0.6 or from version 2 to version 3.0.7 .....</b>	<b>4</b>
3.1	Export of the Business Cases of version 2 .....	4
3.2	Installation & configuration of Apparo Fast Edit Version 3 .....	4
3.3	Start of the Apparo Designers .....	5
3.4	Defining a new client.....	5
3.5	Import of the old Business Cases of version 2 .....	5
3.6	Manual adjustments .....	7
3.7	Variables.....	7
3.8	Apache web server configuration.....	7
<b>4</b>	<b>Upgrade from version 3.0.6 to 3.0.7 .....</b>	<b>8</b>
<b>5</b>	<b>Upgrade from version 2.0 or 3.0 to 3.1 .....</b>	<b>8</b>
<b>6</b>	<b>Upgrade from version 3.0.7.1 to 3.1 .....</b>	<b>9</b>

**Hint: You need a new license for version 3.0 and a new key for version 3.1**

**Please contact the Apparo support: [support@apparo.solutions](mailto:support@apparo.solutions)**

## 1 Download of version 3

You can find the new version in the Apparo download area:

<http://download.apparo.solutions>

**Login: trialfastedit**

**PW: trialfastedit**

## 2 Backup of the old Apparo database repository

Backup with a backup tool the entire schema (Oracle or IBM DB/2) or the entire database (MS SQL Server) in that the Apparo repository is located. The repository contains all Business Cases and database connections.

Version 3 will add additional database tables into this schema.

### 3 Upgrade from version 2 to version 3.0.6 or from version 2 to version 3.0.7

#### 3.1 Export of the Business Cases of version 2

Please open your Apparo Designer of version 2, select all Business Cases and export with pressing „Export“

icon: 

Apparo Fast Edit					
		de			
<a href="#">Database Connections</a>		<a href="#">Business Cases</a>	<a href="#">Report Management</a>	<a href="#">Global Settings</a>	<a href="#">About Product</a>
Business Cases (194/unlimited)					
<input checked="" type="checkbox"/>	ID	Name	Type	DB Conn.	Target Table/View
<input checked="" type="checkbox"/>	BI_NULLTEST	<a href="#">BI_NULLTEST</a>	Table	BI_OS	ZT_NOTNULL_TEST
<input checked="" type="checkbox"/>	BI_NULLTEST1	<a href="#">BI_NULLTEST1</a>	Table	BI_OS	ZT_NOTNULL_TEST
<input checked="" type="checkbox"/>	BI_NULLTEST2	<a href="#">BI_NULLTEST2</a>	Table	BI_OS	ZT_NOTNULL_TEST
<input checked="" type="checkbox"/>	Date_tests_reportvariable	<a href="#">Date_tests_reportvariable</a>	Table	ORACLE_TESTING	DATE_TESTS
<input checked="" type="checkbox"/>	Date_tests_reportvariable_detail	<a href="#">Date_tests_reportvariable_detail</a>	Table	ORACLE_TESTING	DATE_TESTS
<input checked="" type="checkbox"/>	Message_box	<a href="#">Message_box</a>	Table	TESTING	SAMPLE_SALES
<input checked="" type="checkbox"/>	ORC_WAG-Meldung_fa	<a href="#">ORC_WAG-Meldung_fa</a>	Table	FF_WORK	dim_ser_wan

#### 3.2 Installation & configuration of Apparo Fast Edit Version 3

Please start now the setup of version 3 and select the same architecture as for version 2 and overwrite the old installation using the old installation file path.

After that you can open the Configuration Manager.

Here you must replace the license with because the old key is for version 2 only.

After that please press the „Start Fast Edit“ button.

### 3.3 Start of the Apparo Designers

If you install a standalone version of Apparo Fast Edit: Please update the hyperlink for the Apparo Designer.

Please open the Apparo Designer now.

### 3.4 Defining a new client

Version 3 is supporting the concept of clients.


Every client is an own world with own security, own Business Cases etc.

You can find a detail description in document „Configuration Guide“.

### 3.5 Import of the old Business Cases of version 2


Please select a Business Case folder on the left side or create a new one.  
All Business Cases of version 2 will be imported into this folder.

Example:






Press the import button and select your file with all Business Cases of version 2.




Import Options:



After pressing IMPORT button the system will start the import. That need some minutes.

Next step: You will see a list of all imported Business Cases and database connections.



### 3.6 Manual adjustments

### 3.7 Variables

#### Variable output format

In Version 3 the output format of a variable can be explicitly defined.  
We recommend to check especially number outputs with defined decimal places.

#### Internal variables

The internal variable <%BC\_NAME%>, which contains the name of the current Business Case, was renamed due possible name conflicts with widget referenz variables of the column ,BC\_NAME' to <%AFE\_BC\_NAME%>.

When upgrading to version3 the system is automatically renaming those variables (also the widget referenz variables in usage).

### 3.8 Apache web server configuration

The configuration of the Apache web server was extended by:

```
ProxyPass /KFE balancer://ApparoFastEdit/KFE
ProxyPassReverse /KFE balancer://ApparoFastEdit/KFE
ProxyIOBufferSize 32768
<Proxy balancer://ApparoFastEdit>
```

**This entry must be entered manually.**

## 4 Upgrade from version 3.0.6 to 3.0.7

Apparo Fast Edit Version 3.0.7.0 requires a new empty database repository. The old repository of version 3.0.6 can't be reused.

Therefore the following steps are necessary:

- Backup the old repository of version 3.0.6
- Export of all clients in a file (see Apparo Designer, client chapter)
- Creation of a new database login user
- installation of version 3.0.7, the old installation directory can be reused., so that the configuration can be adopted
- In Apparo Configuration Manager: changing the database user login in the section "Repository".
- Start the application by clicking button "Start Fast Edit"
- Opening of new Apparo designer and import all old clients of version 3.0.6
- Update all used languages of all clients

## 5 Upgrade from version 2.0 or 3.0 to 3.1

Apparo Fast Edit Version 3.1 requires a new empty database repository. The old repository of version 2.0 or 3.0 can't be reused.

Therefore the following steps are necessary:

- Backup the old repository of version 3.0
- **Export of all Business Cases into a file** (see Apparo Designer, chapter "Business Cases"), exporting of a complete client and then importing into the new environment is not supported
- Creation of a new database login user for the new database repository
- installation of version 3.1, the old installation directory can't be reused
- In Apparo Configuration Manager: changing the database user login in the section "Repository".
- Start the application by clicking button "Start Fast Edit"
- Opening of new Apparo designer and creating manually a new client, import all necessary languages
- Importing of the file with the Business Cases into the new client



## 6 Upgrade from version 3.0.7.1 to 3.1

Apparo Fast Edit Version 3.1 requires a new empty database repository. The old repository of version 2.0 or 3.0 can't be reused.

Therefore the following steps are necessary:

- **Export of all existing Clients into a file** (see Apparo Designer, chapter "Clients")
- Creation of a new database login user for the new database repository
- Stop the service/process ApparoFastEdit3.0.7.1
- Installation of version 3.1 in a new folder (e.g. Apparo31), the old installation directory can't be reused
- In Apparo Configuration Manager:  
Changing the database user login in the section "Repository".  
Copy the other settings from the Configuration Manager of Version 3.0.7.1
- Start the application by clicking button "Start Fast Edit"
- Importing of the files with the Clients in the Apparo Designer
- Update all used languages of all clients

**Upgrade is finished successfully.**