


Apparo Fast Edit

Standalone version

Architecture





All definitions are stored in a **database repository** using direct connection (JDBC)

Supported databases:

- **Oracle 10g, 11g, 12c**
- **IBM DB2 9 – 11.1**
- **MS SQL Server 2005 – 2016**
- **Internal Java database**

Apparo Fast Edit can work with the content of following databases using a JDBC connection:

- **Oracle 10g-12c (Client und JDBC), Oracle Exadata**
- **Microsoft SQL Server 2005-2016**
- **IBM DB2 9.0-11.1 LUW/i/z (Client und JDBC)**
- **IBM i Series / IBM Netezza / IBM dashDB**
- **Exasol**
- **Sybase ASE, IQ, SQL Anywhere**
- **Teradata**
- **Postgres, Informix**

Standard installation:


- **Windows 2003 - 2016**
- **Standalone version**
- **Web server: MS IIS or Apache**
- **New database (user) for the Apparo Repository**

In a **cluster environment** all application servers are using the same Apparo Repository.

A „**mixed**“ server environment is possible too:

- **Apparo Fast Edit / for BI**
- **Apparo Fast Edit / Standalone**

Advantage: Apparo Fast Edit can be used on working places without BI licenses too (license costs!)




Frameworks: Primefaces, Hibernate

Technology: Java 7, Servlets, JSF, JS, CSS, Ajax

Usage of Firewalls:

- Before web servers
- Before application servers
- Before databases



- eMail Support
- Quality improvements
- Download Center in Internet

- 1 license „Base“
- 1 license „Cluster“
- Mixed server environment possible
- All application server must use same Apparo repository
- Test & Integration environments are in license included
- No additional IBM license necessary







Live-System

<http://standalone.apparo.solutions>